

# SPELChamber

Modular Stormwater Storage & Detention



**spelstormwater**  
joy in water

[spel.com.au](http://spel.com.au)



## FEATURES

- High density polypropylene
- Injection molding
- Large capacity to fits tight footprints
- Robust continuous true elliptical arch design
- Integrated handles
- Open chamber design
- Pollutant removal solution

## BENEFITS

### DESIGN FLEXIBILITY

SPEL's extensive range of 4 different arch heights and the ability to increase the size of the tank to suit whatever volume is required in the available footprint; provides freedom in design.

### TRAFFICABILITY

Not only can it be implemented in landscape areas, but the structural design of the arch also allows for superior load ratings which comply with AS5100 and W80 wheel loads. This allows the system to be installed in areas such as carparks and driveways.

### FAST INSTALLATION


The arches are lightweight and are easily manhandled. The system requires less components than other like-systems and can save contractors days in install time.

### EASY MAINTENANCE

Our patented Isolator Row allows this system to be easily maintained due to the pollutants being captured upon entering the tank and are prevented from spreading through the tank.

### SPECIFICATION

The SPELChamber is very easy to specify using our 'Ready-Reckoner' tables (see following pages.) These allow for multiple applications.



SPELChamber is an inground modular arch system which is used for onsite detention, retention and infiltration applications.

The system is encased by an impermeable LLDPE liner which is sealed and watertight. The open-bottom arches allow the stormwater runoff to balance across the tank through the clean aggregate stone (20-50mm ballast) which surround the arches.





## APPLICATIONS

- Shopping centre OSD in car parks
- Commercial and industrial OSD
- Recreational grounds and sportsfields
- Stormwater harvesting
- Bioretention and infiltration



## MATERIALS

- Injection molded PP chambers
- Ribbed for structural strength
- End caps and chambers
- Handles for ease of handling





## ISOLATER ROW

Our patented Isolater Row is a row of SPELChambers (Inlet row) wrapped in a woven geo-textile fabric. The fabric provides an effective pollutant removal mechanism which targets gross pollutants and suspended solids.

Whilst we recommend a Gross Pollutant Trap prior to the SPELChambers, the Isolater Row will serve as a Gross Pollutant Trap where pollutants will be separated to that row, which allows for ease of maintenance.




The Isolater Row was designed to reduce the cost of periodic maintenance. By “isolating” sediments to just one row, costs are dramatically reduced by eliminating the need to clean out each row of the entire storage bed. If inspection indicates the potential need for maintenance, access is provided via a manhole(s) located on the end(s) of the row for cleanout. If entry into the manhole is required, please follow local and OHS rules for a confined space entries.

Maintenance is accomplished with the JetVac process. The JetVac process utilises a high pressure water nozzle to propel itself down the Isolater Row while scouring and suspending sediments. As the nozzle is retrieved, the captured pollutants are flushed back into the manhole for vacuuming. Most sewer and pipe maintenance companies have vacuum/JetVac combination vehicles. Selection of an appropriate JetVac nozzle will improve maintenance efficiency. Fixed nozzles designed for culverts or large diameter pipe cleaning are preferable. Rear facing jets with an effective spread of at least 1200mm are best. Most JetVac reels have over 100m of hose allowing maintenance of an Isolater Row up to 50 chambers long. The JetVac process shall only be performed on SpelChamber that have woven geotextile (as specified by Spel) over their angular base stone.

# TECHNICAL SPECIFICATIONS

## SC400




## SPELCHAMBER SC400 (400mm HIGH - MIN 1,000mm INSTALLED DEPTH)

		CHAMBERS WIDE QUANTITY (WIDTH)										
		QTY	1 (1.5M)	2 (2.5m)	3 (3.5m)	4 (4.5m)	5 (5.5m)	6 (6.6m)	7 (7.6m)	8 (8.6m)	9 (9.6m)	10 (10.6M)
CHAMBERS LONG QUANTITY (LENGTH)	1 (4.40m)	2m <sup>3</sup>	3m <sup>3</sup>	5m <sup>3</sup>	6m <sup>3</sup>	8m <sup>3</sup>	9m <sup>3</sup>	11m <sup>3</sup>	12m <sup>3</sup>	14m <sup>3</sup>	15m <sup>3</sup>	
	2 (6.60m)	3m <sup>3</sup>	6m <sup>3</sup>	8m <sup>3</sup>	10m <sup>3</sup>	13m <sup>3</sup>	15m <sup>3</sup>	17m <sup>3</sup>	20m <sup>3</sup>	22m <sup>3</sup>	24m <sup>3</sup>	
	3 (8.80m)	4m <sup>3</sup>	8m <sup>3</sup>	11m <sup>3</sup>	14m <sup>3</sup>	17m <sup>3</sup>	20m <sup>3</sup>	24m <sup>3</sup>	27m <sup>3</sup>	30m <sup>3</sup>	33m <sup>3</sup>	
	4 (10.90m)	6m <sup>3</sup>	10m <sup>3</sup>	14m <sup>3</sup>	18m <sup>3</sup>	22m <sup>3</sup>	26m <sup>3</sup>	30m <sup>3</sup>	34m <sup>3</sup>	38m <sup>3</sup>	42m <sup>3</sup>	
	5 (13.10m)	7m <sup>3</sup>	12m <sup>3</sup>	17m <sup>3</sup>	22m <sup>3</sup>	27m <sup>3</sup>	32m <sup>3</sup>	36m <sup>3</sup>	41m <sup>3</sup>	46m <sup>3</sup>	51m <sup>3</sup>	
	6 (15.30m)	8m <sup>3</sup>	14m <sup>3</sup>	20m <sup>3</sup>	25m <sup>3</sup>	31m <sup>3</sup>	37m <sup>3</sup>	43m <sup>3</sup>	49m <sup>3</sup>	55m <sup>3</sup>	60m <sup>3</sup>	
	7 (17.50m)	9m <sup>3</sup>	16m <sup>3</sup>	22m <sup>3</sup>	29m <sup>3</sup>	36m <sup>3</sup>	43m <sup>3</sup>	49m <sup>3</sup>	56m <sup>3</sup>	63m <sup>3</sup>	70m <sup>3</sup>	
	8 (19.60m)	10m <sup>3</sup>	18m <sup>3</sup>	25m <sup>3</sup>	33m <sup>3</sup>	41m <sup>3</sup>	48m <sup>3</sup>	56m <sup>3</sup>	63m <sup>3</sup>	71m <sup>3</sup>	79m <sup>3</sup>	
	9 (21.80m)	11m <sup>3</sup>	20m <sup>3</sup>	28m <sup>3</sup>	37m <sup>3</sup>	45m <sup>3</sup>	54m <sup>3</sup>	62m <sup>3</sup>	71m <sup>3</sup>	79m <sup>3</sup>	88m <sup>3</sup>	
	10 (24.0m)	12m <sup>3</sup>	22m <sup>3</sup>	31m <sup>3</sup>	41m <sup>3</sup>	50m <sup>3</sup>	59m <sup>3</sup>	69m <sup>3</sup>	78m <sup>3</sup>	87m <sup>3</sup>	97m <sup>3</sup>	
	11 (26.10m)	14m <sup>3</sup>	24m <sup>3</sup>	34m <sup>3</sup>	44m <sup>3</sup>	55m <sup>3</sup>	65m <sup>3</sup>	75m <sup>3</sup>	85m <sup>3</sup>	96m <sup>3</sup>	106m <sup>3</sup>	
	12 (28.3m)	15m <sup>3</sup>	26m <sup>3</sup>	37m <sup>3</sup>	48m <sup>3</sup>	59m <sup>3</sup>	70m <sup>3</sup>	82m <sup>3</sup>	93m <sup>3</sup>	104m <sup>3</sup>	115m <sup>3</sup>	
	13 (30.5m)	16m <sup>3</sup>	28m <sup>3</sup>	40m <sup>3</sup>	52m <sup>3</sup>	64m <sup>3</sup>	76m <sup>3</sup>	88m <sup>3</sup>	100m <sup>3</sup>	112m <sup>3</sup>	124m <sup>3</sup>	
	14 (32.6m)	17m <sup>3</sup>	30m <sup>3</sup>	43m <sup>3</sup>	56m <sup>3</sup>	69m <sup>3</sup>	82m <sup>3</sup>	94m <sup>3</sup>	107m <sup>3</sup>	120m <sup>3</sup>	133m <sup>3</sup>	
	15 (34.8m)	18m <sup>3</sup>	32m <sup>3</sup>	46m <sup>3</sup>	60m <sup>3</sup>	73m <sup>3</sup>	87m <sup>3</sup>	101m <sup>3</sup>	115m <sup>3</sup>	128m <sup>3</sup>	142m <sup>3</sup>	
	16 (37.0m)	19m <sup>3</sup>	34m <sup>3</sup>	49m <sup>3</sup>	63m <sup>3</sup>	78m <sup>3</sup>	93m <sup>3</sup>	107m <sup>3</sup>	122m <sup>3</sup>	137m <sup>3</sup>	151m <sup>3</sup>	
	17 (39.2m)	21m <sup>3</sup>	36m <sup>3</sup>	52m <sup>3</sup>	67m <sup>3</sup>	83m <sup>3</sup>	98m <sup>3</sup>	114m <sup>3</sup>	129m <sup>3</sup>	145m <sup>3</sup>	160m <sup>3</sup>	
	18 (41.30m)	22m <sup>3</sup>	38m <sup>3</sup>	55m <sup>3</sup>	71m <sup>3</sup>	87m <sup>3</sup>	104m <sup>3</sup>	120m <sup>3</sup>	137m <sup>3</sup>	153m <sup>3</sup>	169m <sup>3</sup>	
	19 (43.5m)	23m <sup>3</sup>	40m <sup>3</sup>	57m <sup>3</sup>	75m <sup>3</sup>	92m <sup>3</sup>	109m <sup>3</sup>	127m <sup>3</sup>	144m <sup>3</sup>	161m <sup>3</sup>	178m <sup>3</sup>	
	20 (45.7m)	24m <sup>3</sup>	42m <sup>3</sup>	60m <sup>3</sup>	79m <sup>3</sup>	97m <sup>3</sup>	115m <sup>3</sup>	133m <sup>3</sup>	151m <sup>3</sup>	169m <sup>3</sup>	188m <sup>3</sup>	
	21 (47.8m)	25m <sup>3</sup>	44m <sup>3</sup>	63m <sup>3</sup>	82m <sup>3</sup>	101m <sup>3</sup>	120m <sup>3</sup>	139m <sup>3</sup>	159m <sup>3</sup>	178m <sup>3</sup>	197m <sup>3</sup>	

# TECHNICAL SPECIFICATIONS

SC750 \*ALSO, IN SC-750-D (DEEP BURIAL)




SPELCHAMBER SC750 (750mm HIGH - MIN 1,355mm INSTALLED DEPTH)

		CHAMBERS WIDE QUANTITY (WIDTH)										
		QTY	1 (1.9M)	2 (3.4m)	3 (4.8m)	4 (6.2m)	5 (7.7m)	6 (9.1m)	7 (10.6m)	8 (12m)	9 (13.5m)	10 (14.9M)
CHAMBERS LONG QUANTITY (LENGTH)	1 (4.50m)	5m <sup>3</sup>	8m <sup>3</sup>	12m <sup>3</sup>	16m <sup>3</sup>	20m <sup>3</sup>	24m <sup>3</sup>	28m <sup>3</sup>	31m <sup>3</sup>	35m <sup>3</sup>	39m <sup>3</sup>	
	2 (6.60m)	7m <sup>3</sup>	13m <sup>3</sup>	19m <sup>3</sup>	25m <sup>3</sup>	31m <sup>3</sup>	37m <sup>3</sup>	43m <sup>3</sup>	49m <sup>3</sup>	55m <sup>3</sup>	61m <sup>3</sup>	
	3 (8.80m)	10m <sup>3</sup>	18m <sup>3</sup>	26m <sup>3</sup>	34m <sup>3</sup>	42m <sup>3</sup>	50m <sup>3</sup>	58m <sup>3</sup>	66m <sup>3</sup>	74m <sup>3</sup>	82m <sup>3</sup>	
	4 (10.90m)	12m <sup>3</sup>	22m <sup>3</sup>	33m <sup>3</sup>	43m <sup>3</sup>	53m <sup>3</sup>	63m <sup>3</sup>	73m <sup>3</sup>	83m <sup>3</sup>	94m <sup>3</sup>	104m <sup>3</sup>	
	5 (13.10m)	15m <sup>3</sup>	27m <sup>3</sup>	39m <sup>3</sup>	52m <sup>3</sup>	64m <sup>3</sup>	76m <sup>3</sup>	89m <sup>3</sup>	101m <sup>3</sup>	113m <sup>3</sup>	125m <sup>3</sup>	
	6 (15.20m)	17m <sup>3</sup>	32m <sup>3</sup>	46m <sup>3</sup>	61m <sup>3</sup>	75m <sup>3</sup>	89m <sup>3</sup>	104m <sup>3</sup>	118m <sup>3</sup>	133m <sup>3</sup>	147m <sup>3</sup>	
	7 (17.40m)	20m <sup>3</sup>	36m <sup>3</sup>	53m <sup>3</sup>	69m <sup>3</sup>	86m <sup>3</sup>	103m <sup>3</sup>	119m <sup>3</sup>	136m <sup>3</sup>	152m <sup>3</sup>	169m <sup>3</sup>	
	8 (19.60m)	22m <sup>3</sup>	41m <sup>3</sup>	60m <sup>3</sup>	78m <sup>3</sup>	97m <sup>3</sup>	116m <sup>3</sup>	134m <sup>3</sup>	153m <sup>3</sup>	172m <sup>3</sup>	190m <sup>3</sup>	
	9 (21.70m)	25m <sup>3</sup>	46m <sup>3</sup>	67m <sup>3</sup>	87m <sup>3</sup>	108m <sup>3</sup>	129m <sup>3</sup>	150m <sup>3</sup>	170m <sup>3</sup>	191m <sup>3</sup>	212m <sup>3</sup>	
	10 (23.9m)	28m <sup>3</sup>	50m <sup>3</sup>	73m <sup>3</sup>	96m <sup>3</sup>	119m <sup>3</sup>	142m <sup>3</sup>	165m <sup>3</sup>	188m <sup>3</sup>	211m <sup>3</sup>	234m <sup>3</sup>	
	11 (26.0m)	30m <sup>3</sup>	55m <sup>3</sup>	80m <sup>3</sup>	105m <sup>3</sup>	130m <sup>3</sup>	155m <sup>3</sup>	180m <sup>3</sup>	205m <sup>3</sup>	230m <sup>3</sup>	255m <sup>3</sup>	
	12 (28.2m)	33m <sup>3</sup>	60m <sup>3</sup>	87m <sup>3</sup>	114m <sup>3</sup>	141m <sup>3</sup>	168m <sup>3</sup>	195m <sup>3</sup>	222m <sup>3</sup>	250m <sup>3</sup>	277m <sup>3</sup>	
	13 (30.3m)	35m <sup>3</sup>	64m <sup>3</sup>	94m <sup>3</sup>	123m <sup>3</sup>	152m <sup>3</sup>	181m <sup>3</sup>	211m <sup>3</sup>	240m <sup>3</sup>	269m <sup>3</sup>	298m <sup>3</sup>	
	14 (32.5m)	38m <sup>3</sup>	69m <sup>3</sup>	100m <sup>3</sup>	132m <sup>3</sup>	163m <sup>3</sup>	195m <sup>3</sup>	226m <sup>3</sup>	257m <sup>3</sup>	289m <sup>3</sup>	320m <sup>3</sup>	
	15 (34.6m)	40m <sup>3</sup>	74m <sup>3</sup>	107m <sup>3</sup>	141m <sup>3</sup>	174m <sup>3</sup>	208m <sup>3</sup>	241m <sup>3</sup>	275m <sup>3</sup>	308m <sup>3</sup>	342m <sup>3</sup>	
	16 (36.8m)	43m <sup>3</sup>	78m <sup>3</sup>	114m <sup>3</sup>	150m <sup>3</sup>	185m <sup>3</sup>	221m <sup>3</sup>	256m <sup>3</sup>	292m <sup>3</sup>	328m <sup>3</sup>	363m <sup>3</sup>	
	17 (39.0m)	45m <sup>3</sup>	83m <sup>3</sup>	121m <sup>3</sup>	158m <sup>3</sup>	196m <sup>3</sup>	234m <sup>3</sup>	272m <sup>3</sup>	309m <sup>3</sup>	347m <sup>3</sup>	385m <sup>3</sup>	
	18 (41.10m)	48m <sup>3</sup>	88m <sup>3</sup>	128m <sup>3</sup>	167m <sup>3</sup>	207m <sup>3</sup>	247m <sup>3</sup>	287m <sup>3</sup>	327m <sup>3</sup>	367m <sup>3</sup>	406m <sup>3</sup>	
	19 (43.3m)	50m <sup>3</sup>	92m <sup>3</sup>	134m <sup>3</sup>	176m <sup>3</sup>	218m <sup>3</sup>	260m <sup>3</sup>	302m <sup>3</sup>	344m <sup>3</sup>	386m <sup>3</sup>	428m <sup>3</sup>	
	20 (45.4m)	53m <sup>3</sup>	97m <sup>3</sup>	141m <sup>3</sup>	185m <sup>3</sup>	229m <sup>3</sup>	273m <sup>3</sup>	317m <sup>3</sup>	362m <sup>3</sup>	406m <sup>3</sup>	450m <sup>3</sup>	
	21 (47.6m)	55m <sup>3</sup>	102m <sup>3</sup>	148m <sup>3</sup>	194m <sup>3</sup>	240m <sup>3</sup>	286m <sup>3</sup>	333m <sup>3</sup>	379m <sup>3</sup>	425m <sup>3</sup>	471m <sup>3</sup>	

# TECHNICAL SPECIFICATIONS

## SC1200



### SPELCHAMBER SC1200 (1,200mm HIGH - MIN 2,000mm INSTALLED DEPTH)

		CHAMBERS WIDE QUANTITY (WIDTH)										
		QTY	1 (2.60M)	2 (4.80m)	3 (6.90m)	4 (9.10m)	5 (11.30m)	6 (13.50m)	7 (15.70m)	8 (17.80m)	9 (20.0m)	10 (22.2M)
CHAMBERS LONG QUANTITY (LENGTH)	1 (4.60m)	10m <sup>3</sup>	20m <sup>3</sup>	29m <sup>3</sup>	38m <sup>3</sup>	47m <sup>3</sup>	57m <sup>3</sup>	66m <sup>3</sup>	75m <sup>3</sup>	84m <sup>3</sup>	94m <sup>3</sup>	
	2 (6.70m)	16m <sup>3</sup>	31m <sup>3</sup>	45m <sup>3</sup>	59m <sup>3</sup>	74m <sup>3</sup>	88m <sup>3</sup>	102m <sup>3</sup>	117m <sup>3</sup>	131m <sup>3</sup>	145m <sup>3</sup>	
	3 (8.90m)	22m <sup>3</sup>	41m <sup>3</sup>	61m <sup>3</sup>	80m <sup>3</sup>	100m <sup>3</sup>	119m <sup>3</sup>	139m <sup>3</sup>	158m <sup>3</sup>	178m <sup>3</sup>	197m <sup>3</sup>	
	4 (11.10m)	28m <sup>3</sup>	52m <sup>3</sup>	77m <sup>3</sup>	101m <sup>3</sup>	126m <sup>3</sup>	151m <sup>3</sup>	175m <sup>3</sup>	200m <sup>3</sup>	224m <sup>3</sup>	249m <sup>3</sup>	
	5 (13.20m)	33m <sup>3</sup>	63m <sup>3</sup>	93m <sup>3</sup>	122m <sup>3</sup>	152m <sup>3</sup>	182m <sup>3</sup>	212m <sup>3</sup>	241m <sup>3</sup>	271m <sup>3</sup>	301m <sup>3</sup>	
	6 (15.40m)	39m <sup>3</sup>	74m <sup>3</sup>	109m <sup>3</sup>	144m <sup>3</sup>	178m <sup>3</sup>	213m <sup>3</sup>	248m <sup>3</sup>	283m <sup>3</sup>	318m <sup>3</sup>	352m <sup>3</sup>	
	7 (17.60m)	45m <sup>3</sup>	85m <sup>3</sup>	125m <sup>3</sup>	165m <sup>3</sup>	205m <sup>3</sup>	244m <sup>3</sup>	284m <sup>3</sup>	324m <sup>3</sup>	364m <sup>3</sup>	404m <sup>3</sup>	
	8 (19.70m)	50m <sup>3</sup>	96m <sup>3</sup>	141m <sup>3</sup>	186m <sup>3</sup>	251m <sup>3</sup>	276m <sup>3</sup>	321m <sup>3</sup>	366m <sup>3</sup>	411m <sup>3</sup>	456m <sup>3</sup>	
	9 (21.90m)	56m <sup>3</sup>	106m <sup>3</sup>	157m <sup>3</sup>	207m <sup>3</sup>	257m <sup>3</sup>	307m <sup>3</sup>	357m <sup>3</sup>	407m <sup>3</sup>	458m <sup>3</sup>	508m <sup>3</sup>	
	10 (24.10m)	62m <sup>3</sup>	117m <sup>3</sup>	172m <sup>3</sup>	228m <sup>3</sup>	283m <sup>3</sup>	338m <sup>3</sup>	3941m <sup>3</sup>	449m <sup>3</sup>	504m <sup>3</sup>	560m <sup>3</sup>	
	11 (26.30m)	68m <sup>3</sup>	128m <sup>3</sup>	188m <sup>3</sup>	249m <sup>3</sup>	309m <sup>3</sup>	370m <sup>3</sup>	430m <sup>3</sup>	491m <sup>3</sup>	551m <sup>3</sup>	611m <sup>3</sup>	
	12 (28.40m)	73m <sup>3</sup>	139m <sup>3</sup>	204m <sup>3</sup>	270m <sup>3</sup>	335m <sup>3</sup>	401m <sup>3</sup>	467m <sup>3</sup>	532m <sup>3</sup>	598m <sup>3</sup>	653m <sup>3</sup>	
	13 (30.60m)	79m <sup>3</sup>	150m <sup>3</sup>	220m <sup>3</sup>	291m <sup>3</sup>	362m <sup>3</sup>	432m <sup>3</sup>	503m <sup>3</sup>	574m <sup>3</sup>	644m <sup>3</sup>	715m <sup>3</sup>	
	14 (32.80m)	85m <sup>3</sup>	161m <sup>3</sup>	236m <sup>3</sup>	312m <sup>3</sup>	388m <sup>3</sup>	464m <sup>3</sup>	539m <sup>3</sup>	615m <sup>3</sup>	691m <sup>3</sup>	767m <sup>3</sup>	
	15 (34.90m)	90m <sup>3</sup>	171m <sup>3</sup>	252m <sup>3</sup>	333m <sup>3</sup>	414m <sup>3</sup>	495m <sup>3</sup>	576m <sup>3</sup>	657m <sup>3</sup>	738m <sup>3</sup>	818m <sup>3</sup>	
	16 (37.10m)	96m <sup>3</sup>	182m <sup>3</sup>	268m <sup>3</sup>	354m <sup>3</sup>	440m <sup>3</sup>	526m <sup>3</sup>	612m <sup>3</sup>	698m <sup>3</sup>	784m <sup>3</sup>	870m <sup>3</sup>	
	17 (39.30m)	102m <sup>3</sup>	193m <sup>3</sup>	284m <sup>3</sup>	375m <sup>3</sup>	466m <sup>3</sup>	558m <sup>3</sup>	649m <sup>3</sup>	740m <sup>3</sup>	831m <sup>3</sup>	922m <sup>3</sup>	
	18 (41.40m)	108m <sup>3</sup>	204m <sup>3</sup>	300m <sup>3</sup>	396m <sup>3</sup>	493m <sup>3</sup>	589m <sup>3</sup>	685m <sup>3</sup>	781m <sup>3</sup>	878m <sup>3</sup>	974m <sup>3</sup>	
	19 (43.60m)	113m <sup>3</sup>	215m <sup>3</sup>	316m <sup>3</sup>	417m <sup>3</sup>	519m <sup>3</sup>	620m <sup>3</sup>	722m <sup>3</sup>	823m <sup>3</sup>	924m <sup>3</sup>	1026m <sup>3</sup>	
	20 (45.80m)	119m <sup>3</sup>	226m <sup>3</sup>	332m <sup>3</sup>	438m <sup>3</sup>	545m <sup>3</sup>	651m <sup>3</sup>	758m <sup>3</sup>	864m <sup>3</sup>	971m <sup>3</sup>	1077m <sup>3</sup>	
	21 (47.90m)	125m <sup>3</sup>	236m <sup>3</sup>	348m <sup>3</sup>	460m <sup>3</sup>	571m <sup>3</sup>	683m <sup>3</sup>	794m <sup>3</sup>	906m <sup>3</sup>	1018m <sup>3</sup>	1129m <sup>3</sup>	

NOTE: Standard sizing has been used to calculate this table, the chamber systems have been sized with one manifold. This table should be used as a sizing guide, SPEL will confirm sizing for your project on a site-specific basis.

# SPELChamber

Modular Stormwater Storage & Detention

<p><b>NSW HEAD OFFICE</b> 100 Silverwater Rd, Silverwater NSW 2128 PO Box 7138, Silverwater NSW 1811 P: +61 2 8705 0255 P: 1300 773 500 E: nsw.sales@spel.com.au</p>	<p><b>QLD MAIN OFFICE</b> 130 Sandstone Pl, Parkinson QLD 4115 P: +61 7 3271 6960 P: 1300 773 500   E: qld.sales@spel.com.au</p> <p><b>QLD SUNSHINE COAST BRANCH</b> 19-27 Fred Chaplin Circuit, Bells Creek, QLD 4551 P: 1300 773 500   E: qld.sales@spel.com.au</p>	<p><b>VIC &amp; TAS OFFICE</b> 897 Wellington Rd Rowville VIC 3178 P: +61 3 5274 1336 P: 1800 810 139   E: sales@spel.com.au</p> <p><b>VIC GEELONG BRANCH</b> 70 Technology Close, Corio, P: +61 3 5274 1336 P: 1800 810 139   E: sales@spel.com.au</p>
<p><b>SA OFFICE</b> 9 Hampden Road, Mount Barker SA 5251 P: 1300 773 500 E: sales@spel.com.au</p>	<p><b>WA OFFICE</b> 2 Modal Crescent Canning Vale WA 6155 P: +61 8 9350 1000 P: 1800 335 550 E: sales@spel.com.au</p>	<p><b>NZ OFFICE AUCKLAND</b> 100 Montgomerie Road Airport Oaks P: +64 9 276 9045 E: sales@spel.com.au</p>
<p><b>NZ OFFICE WANGANUI</b> 43 Heads Road Wanganu New Zealand P: +64 6 349 0088   E: sales@spel.com.au</p>	<p><b>NZ OFFICE WELLINGTON</b> 41 Raiha St Porirua Wellington New Zealand P: +64 4 239 6006   E: sales@spel.com.au</p>	<p><b>PHILIPPINES OFFICE METRO MANILA</b> Unit 2210 Lumiere Residences Pasig Boulevard, Pasig City P: +61 2 8705 0255 P: 1300 773 500 E: sales@spel.com.au</p>
<p><b>SINGAPORE OFFICE</b> 512 Chai Chee Lane, #06-04 Bedok Industrial Estate, Singapore 469028 P: +61 2 8705 0255 P: 1300 773 500   E: sales@spel.com.au</p>	<p><b>UK OFFICE UNITED KINGDOM</b> Lancaster Rd Shrewsbury SY1 3NQ UK P: +44 (0)1743 445200   E: sales@spel.com.au</p>	<p><b>USA OFFICE CLEVELAND</b> 4548 Industrial Parkway Cleveland, Ohio 44135 P: +61 2 8705 0255 P: 1300 773 500 E: sales@spel.com.au</p>

We believe clean water is a right not a privilege and we work to ensure a joy in water experience for you with your children and grandchildren.



**spelstormwater**  
joy in water

100 Silverwater Rd, Silverwater NSW 2128 Australia

Phone: (02) 8705 0255

Email: sales@spel.com.au

[spel.com.au](http://spel.com.au)

SPEL Stormwater accepts no responsibility for any loss or damage resulting from any person acting on this information. The details and dimensions contained in this document may change, please check with SPEL Stormwater for confirmation of current specifications.